


ATO

HYDRAULIC POWER

CUSTOM BUILT POWER UNITS



ATO

HYDRAULIC POWER

PT Hydraulics builds Power Units to your specifications. New to the PT range of Hydraulic Power Packs, the "ATO" power units are built from quality imported and locally sourced components.

Each unit is finished with satin black powder coating as standard or your choice of colours or coatings

PT specialises in fully wired Power Units with Pendant or Wireless controls. Or alternatively start/stop & control buttons in an enclosure attached to the unit at a price lower than an external electrician can provide.

PT have developed a custom quoting program to quote standard units in minutes, including looms and pendants.







Power Units can carry PT's "ATO Power" logo or your own branding.



Standard components on "ATO Power" Units

- Gear or Piston Pumps*
- Manifolds with up to 6 Valve option*
- Hi-Lo Manifold*
- Pressure Gauges*
- Test Points*
- Filler Breathers*
- AC or DC*
- Suction Strainers*
- Return filters*
- Coolers*
- Manual or Solenoid DCV's*
- Control Subplates*
- Pressure Switches*
- Level Temp Gauges*
- Pendants or Wireless Controllers*
- Wiring Looms*
- Tanks 20ltr to 400ltr*



Duty Cycle	Continuous	Intermittent	Use Once												
Working Pressure Bar/PSI											Customer				
Pressure Relief Valve	YES	NO											Name		
Relief Valve Setting?											Signature				
Flow- LPM															
Pump Displacement	GP1	1.1cc	1.3cc	1.6cc	2.1cc	2.7cc	3.2cc	3.7cc	4.2cc	4.8cc	5.8cc	8.0cc			
	GP2	4cc	6cc	8cc	10cc	12cc	14cc	16cc	20cc	25cc					
	GP3	20cc	26cc	33cc	39cc	46cc	55cc	63cc							
Motor	AC	240volt		415volt		AIR			DC		ENGINE				
		2P	4P	6P	8P				12V	24V	PETROL	DIESEL			
Tank Capacity-LTR	40	50	75	130	200	300	400								
Return Filtration	Yes	No	Micron		5um	10um	25um	Clogging Indicator		YES	NO				
Pressure Gauge	Yes	No	Test Point		No	Yes									
Manifold	CT3	P & T with Relief					Series								
	CT5	Bulkhead Only					Paralell								
Directional Control Valves		A51													
		C51													
		R11													
		C11													
		H11													
		Y11													
Control Voltage	12VDC	24VDC	24VAC	115VAC	240VAC										
Options	Pendant		Other Options												
	Wiring Loom														
	Power Lead														



PT Hydraulics Australia Pty Ltd
19 Ricketts Road
Mount Waverley, VIC, 3149
Tel: 03 9562 8800
Fax: 03 9562 8080
www.pthydraulics.com.au
sales@pthydraulics.com.au

Specification Selection Sheet